

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Preferences

| | | UDG and nicking and cDNA Search | |
|----------------|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|
| | | ☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase | |
| | | Searched for:: :All of the words: UDG AND nicking AND cDNA | |
| | | Found:: :56 total 11 journal results 25 preferred web results 20 other web results | <u>s</u> |
| | | Sort by:: :relevance date | • |
| | 1. | Save checked results | Refine you using thes found in tacid sequer |
| | | APPLICATION, Oct 2003deoxyinosine. Examples of 25 nicking agents described hereinexcising deoxyuridine (U) - UDG glycosylase in a mixturea mixture containing UDG glycosylase, FPG glycosylaseEndoIV endonuclease or UDG s glycosylase in a mixtureare present 10 in the nicking agent in an activity ratio | amplification cleavage dna polyme |
| | | Full text available at patent office. For more in-depth searching go to view all 25 results from Patent Offices similar results | endonuclea hybridizatio |
| | 2. | SYNTHETIC GENES | nucleotides |
| - astronias | | SANTI, Daniel / KODUMAL, Sarah, J. / REID, Ralph, C. / PATEL, Kedar, G. / KOSAN BIOSCIENCES, INC., PATENT COOPERATION TREATY APPLICATION, Nov 2005generate a DNA unit encoding a polypeptide segment and adding UDG-containing linkers to the 5' and 3' ends of the DNA unit by PCRamplification, thereby generating a tinkered DNA unit, wherein the same UDG-containing linkers are added to said different | oligonucleo plasmid polypeptide polypeptide |
| | | DNA units. In Full text available at patent office. For more in-depth searching go to view all 25 results from Patent Offices similar results | recombinat recombinat single-stran |
| П | 3. | SYNTHETIC GENES | skill in the |
| • ¹ | | SANTI, Daniel, V. / REID, Ralph, C. / KODUMAL, Sarah, J. / JAYARAJ, Sebastian / KOSAN BIOSCIENCES, INC., PATENT COOPERATION TREATY APPLICATION, Apr 2004 | Or refine All of the |
| | | generate a DNA unit encoding a polypeptide segment and adding UDG -containing linkers to the 5' and 3' ends of the DNA unit by PCRamplification, thereby generating a tinkered DNA unit, wherein the same UDG -containing linkers are added to said different | Refine |
| | | DNA units. In Full text available at patent office. For more in-depth searching go to view all 25 results from Patent Offices similar results | UDG Record Trounce Record of UDG bags shipping |
| _ | 4 | METHOD FOR THE AMPLIFICATION AND OPTIONAL CHARACTERISATION OF NUCL FIG. | |

4. METHOD FOR THE AMPLIFICATION AND OPTIONAL CHARACTERISATION OF NUCLEIC ACIDS

McCARTHY, Thomas, Valentine / COLLINS, Ruairi / University College Cork-National University of Ireland, Cork, EUROPEAN PATENT, Jul 2003 ...downstream strand that is functionally equivalent to T1. Nicking and

polymerisation/displacement steps cycle continuously...embodiment, the DNA glycosylase is uracil DNA-glycosylase (UDG). Uracil in DNA is recognised specifically by UDG and released from DNA. U Full text available at patent office. For more in-depth searching go to CexisNexisview all 25 results from Patent Offices similar results 5. Nuclease Janulaitis, Arvydas / Stankevicius, Kornelijus / Lubys, Arvydas / Markauskas, Algimantas / Fermentas AB, EUROPEAN PATENT, Jan 2002 ...imperfection of this protein is that **nicking** of DNA is not very efficient so it is impossible to achieve nicking of all substrate. A typical yield is...endonculease Eco AI that were capable of nicking double stranded DNA (Nucleic Acids Research... Full text available at patent office. For more in-depth searching go to CexisNexisview all 25 results from Patent Offices similar results 6. NUCLEIC ACID MOLECULES CONTAINING RECOMBINATION SITES AND METHODS OF **USING THE SAME** CHESNUT, Jon / LEONG, Louis / INVITROGEN CORPORATION, PATENT COOPERATION TREATY APPLICATION, Jun 2005 The present invention relates to the fields of biotechnology and molecular biology. In particular, the present invention relates to the construction and use of nucleic acid molecules comprising cloning sites which differ in nucleotide sequence. In... Full text available at patent office. For more in-depth searching go to LexisNexisview all 25 results from Patent Offices similar results 7. ENRICHMENT OF NUCLEIC ACID WAHLESTEDT, Claes / LI, Jingfeng / ZABAROVSKY, Veronika / ZABAROVSKY, Eugene / KAROLINSKA INNOVATIONS AB, PATENT COOPERATION TREATY APPLICATION, Jun 2001 ...approaches for subtraction at a cDNA level have been suggested and...nuclear antigen 2 by subtractive cDNA cloning and high-throughput...perfect duplexes will escape nicking during this step. All DNA molecules...with uracil-DNA glycosylase (UDG) and mung bean nuclease, PCR... Full text available at patent office. For more in-depth searching go to CexisNexis view all 25 results from Patent Offices similar results **8.** MULTIPLEX PCR WILLIS, Thomas, Daniel / PARALLELE BIOSCIENCE, INC., PATENT COOPERATION TREATY APPLICATION, May 2003 Compositions and methods for nucleic acid amplification are provided that minimize the formation and amplification of spurious products, particularly in multiplex amplification reactions. Linear amplification molecules are provided. A first... Full text available at patent office. For more in-depth searching go to LexisNexisview all 25 results from Patent Offices similar results 9. ALKYLATING AGENT COMBINATIONS IN THE TREATMENT OF CANCER GERSON, Stanton, L. / LIU, Lili / CASE WESTERN RESERVE UNIVERSITY, PATENT COOPERATION TREATY APPLICATION, Aug 2003 This application provides compositions and methods useful in the treatment of certain cancers. In part, this application is based on the recognition that certain molecules that target abasic lesions or AP sites in DNA improve, augment, or potentiate... Full text available at patent office. For more in-depth searching go to LexisNexis view all 25 results from Patent Offices similar results T 10. GENOME WALKING BY SELECTIVE AMPLIFICATION OF NICK-TRANSLATE DNA LIBRARY AND AMPLIFICATION FROM COMPLEX MIXTURES OF TEMPLATES MAKAROV, Vladimir, L. / KAMBEROV, Emmanuel / SLEPTSOVA, Irina / RUBICON



| Home | Search Dournals Books Abstract Databases My Profile Alerts | ⊕ Help |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Quick Sea | rch: within All Full-text Sources Go ② Search Tips | |
| Your se | arch was saved as: 12 Apr 2006 - pub-date > 1989 and pub-date < 20 TEXT(cDNA W/20 (oligo dT or random or primer) W FULL-TEXT((array or microarray or chip or biochip) | V/20 biotin) and |
| 67 Ar | ticles Found | |
| | e > 1989 and pub-date < 2004 and FULL-TEXT(cDNA W/20 (oligo dT or random and FULL-TEXT((array or microarray or chip or biochip)) | or primer) W/20 |
| Edit Sea | rch Save Search Save as Search Alert | Search Within Result |
| Article | List Partial Abstracts Full Abstracts | |
| ← (qi | splay checked docs e-mail articles export citations Sort By: | Date Go |
| 1. 🗖 | Phylogenetic tree facilitates the understanding of gene expression data on dreenzymes obtained by microarray analysis • ARTICLE Toxicology Letters, Volume 145, Issue 3, 10 December 2003, Pages 281-289 Naoki Kiyosawa, Toshiyuki Watanabe, Kyoko Sakuma, Miyuki Kanbori, Noriyo Ito, Takashi Yamoto and Sunao Manabe SummaryPlus Full Text + Links PDF (699 K) | 0 |
| 2. 🗀 | Identification and activation of Src family kinases in primary megakaryocytes • ARTICLE Experimental Hematology, Volume 31, Issue 12, December 2003, Pages 1268-1274 Brian J. Lannutti, Mi-Hyun Shim, Noel Blake, Jo Anna Reems and Jonathan G. Drachman SummaryPlus Full Text + Links PDF (254 K) | |
| 3. 🗔 | Fas Ligand-dependent and -independent mechanisms of toxicity induced by Isymphomas in lymphoid organs and in the liver • ARTICLE Clinical Immunology, Volume 109, Issue 2, November 2003, Pages 144-153 Catherine Lombard, Robert J. McKallip, Philip B. Hylemon, Prakash S. Nagarkatti SummaryPlus Full Text + Links PDF (621 K) | |
| 4. 🗀 | Inhibition and reversal of nickel-induced transformation by the histone deactrichostatin A • ARTICLE Toxicology and Applied Pharmacology, Volume 192, Issue 3, 1 November 2003, It Qunwei Zhang, Konstantin Salnikow, Thomas Kluz, Lung Chi Chen, Wei Cheng Costa SummaryPlus Full Text + Links PDF (226 K) | Pages 201-211 |
| 5. 🗀 | Expression and function of TNF-family proteins and receptors in human oster ARTICLE Bone, Volume 33, Issue 5, November 2003, Pages 760-770 Rongfa Bu, Christopher W. Borysenko, Yanan Li, Lihuan Cao, Afsie Sabokbar an SummaryPlus Full Text + Links PDF (488 K) | |